Optical sensor - Professional Line

HPD2

EAN 4007841 033965 Article number 033965























IP20



110°

max. 10 m

bright

movem

number of people

presence

erature

2 - 20

Function description

Detects persons in 10 individually adjustable zones! As the world's only optical sensor of its kind, it detects and counts people sitting and standing in up to five precisely definable detection zones. 110° angle of coverage with a reach of up to 10 m from a maximum mounting height of 6 m. Integrated, state-of-the-art imaging compares 150,000 positive images and 7 million negative images in real time. Ideal for managing meeting rooms, because it identifies actual room use, or for detecting unused office workstations for flexible desk management.

Technical specifications

Туре	Other
Dimensions (L x W x H)	52 x 86 x 156 mm
Mains power supply	18.0 – 55 V
Power supply, detail	Passive PoE SELV, standard PoE (IEEE 802.3 af)
Sensor Technology	Optical sensor
Application, place	Indoors
Installation site	wall, corner
Installation	Surface wiring
Mounting height	2,30 – 6,00 m
Reach, radial	r = 10 m (96 m²)
Reach, tangential	r = 10 m (96 m²)
Reach, presence	r = 10 m (96 m²)
Detection angle	110°
Angle of aperture	110°
Switching zones	10 switching zones
Optimum mounting height	2,8 m
Mechanical scalability	No
Sneak-by guard	Yes

Capability of masking out individual segments	Yes
Electronic scalability	Yes
Twilight setting TEACH	No
Twilight setting	2 – 2000 lx
Constant-lighting control	Yes
Basic light level function	No
Settings via	Web-Interface
With remote control	No
Interconnection	No
IP-rating	IP20
Material	Plastic
Ambient temperature	0 - 40 °C
Application, room	classroom, lecture hall, open-plan office, production facilities, conference room / meeting room, recreation room, Indoors
Colour	white
Colour, RAL	9010
Manufacturer's Warranty	5 years
Version	IP
PU1, EAN	4007841033965


Optical sensor - Professional Line

HPD2

EAN 4007841 033965 Article number 033965



Detection Zone



Mögliche Montagehöhe: 2,30 m – 6,00 m

Dimension Drawing

